

# 6-WATT-ACOUSTIC-PANEL-LOUDSPEAKER 300 x 300 mm SW-E11 / E21/ E31


SW

E11

E21

E31

ACOUSTIC  
PANEL  
LOUDSPEAKER



- **DUST-PROTECTION & FOAM-RUBBER-ANTI-VIBRATION-STRIPES** STANDARD
- **50-HZ-STABLE** 100V-TRANSFORMER
- **TOUCH-PROTECTED-QUICK-CONNECTING-CLAMP**
- ADDITIONAL MOUNTING-DEVICE & **STRAIN-RELIEF** AVAILABLE
- **OUTSTANDING** LOUDSPEAKER-QUALITY FOR MUSIC / SPEECH
- POWER-SAVING THROUGH HIGH **SOUND-PREASURE-LEVEL**
- **LOW-COST-VERSION** WITHOUT DUST-COVER OBTAINABLE
- CUSTOM-COLOUR & CUSTOM-SIZE-VERSIONS AVAILABLE
- **2-WAY & 10-20-30-WATT** & 8-OHMS-VERSIONS OBTAINABLE
- **FIRE-RESISTANT & WEATHER-PROOF-VERSIONS** AVAILABLE

## TECHNICAL DATA:

	SW-E11	SW-E21	SW-E31
Loudspeaker:	6W/120mm-broadband	10/15W broadband With HF-dome	10/15W-broadband with HF-dome
Power-Consumption:	100V-6-3-1.5W	100V-6-3-1.5W	100V-6-3-1.5W
FQ-Range:	80-15 000 Hz	70-18 000 Hz	70-19000Hz
SPL 1W/1m:	94 dB	95 dB	98 dB
SPL 6W/1m:	102 dB	103 dB	106 dB
SPL 1W/1m <b>max:</b>	104 dB (3,5 kHz)	106 dB (3,2 kHz)	105 dB (3,8 kHz)
SPL 6W/1m <b>max:</b>	112 dB (3,5 kHz)	114 dB (3,2 kHz)	113dB (3,8 kHz)
Radiation:	180 ° (1,8 kHz)	180° (1,5 kHz)	180° (1,4 kHz)
Dimensions:	300 x 300 x 55 mm	300 x 300 x 70 mm	300 x 300 x 80 mm
Weight:	1 Kg	1,2 Kg	1,3 Kg
Front-Colour:	RAL 9005	RAL 9005	RAL 9005
Material:	wood	wood	wood

